EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	select$4 with (search adj filter) same (defect error malfunction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:18
L2	30	user with crash with report	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:19
L3	7	search same pane with (search adj filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:19
L4	11	resolution with (software application) with (error defect malfunction) same developer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:19
L5	4	present$4 with developer with (error defect) with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:23
L6	7	user with crash with report same (aggregat$4 group$4 combin$4 statstics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:24
S46	2	"7036049".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 10:43

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	private near8 shar$4 near7 ((work adj flow) (work$flow))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:43
L3	29	((work adj flow) (work$flow)) near5 model near7 view$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:29
L4	1	((work adj flow) (work$flow)) near6 rout$4 near3 task near6 series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:30
L5	9	((work adj flow) (work$flow)) near6 (private confidential) near6 task$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:44
L6	6	((work adj flow) (work$flow)) near7 view$4 near8 task and (717/102 717/104 709/205 715/751 715/753)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:46
L7	22	((work adj flow) (work$flow)) same (((virtual adj task) (actual adj task)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:34
L8	9	(combin$4 aggregat$4) near7 ((work adj flow) (work$flow)) same (abstract$4 generaliz$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:06
L9	25	aggregat$4 with workflow with model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:31

L10	19	workflow with state with transition same depend$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:48
L11	9	virtual adj workflow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:31
L13	1	private near8 shar$4 near7 ((work adj flow) (work$flow)) and (717/102 717/104 709/205 715/751 715/753)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:29
L14	4	((work adj flow) (work$flow)) near5 model near7 view$4 and (717/102 717/104 709/205 715/751 715/753)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:30
L15	1	((work adj flow) (work$flow)) near6 rout$4 near3 task near6 series and (717/102 717/104 709/205 715/751 715/753)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:30
L16	3	virtual adj workflow and (717/102 717/104 709/205 715/751 715/753)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:31
L17	1	workflow with state with transition same depend$6 and (717/102 717/104 709/205 715/751 715/753)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:31
L18	5	aggregat$4 with workflow with model and (717/102 717/104 709/205 715/751 715/753)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:59

L19	5	((work adj flow) (work$flow)) same (((virtual adj task) (actual adj task))) and (717/102 717/104 709/205 715/751 715/753)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:34
L23	1	private near8 shar$4 near7 ((work adj flow) (work$flow)).clm.	US-PGPUB	OR	ON	2007/09/26 16:44
L25	1	((work adj flow) (work$flow)) near6 (private confidential) near6 task$4. clm.	US-PGPUB	OR	ON	2007/09/26 16:46
L26	11	((work adj flow) (work$flow)) near7 view$4 near8 task.clm.	US-PGPUB	OR	ON	2007/09/26 16:47
L28	2	aggregat$4 with workflow with model.clm.	US-PGPUB	OR	ON	2007/09/26 16:59

IEEE *Xplore* ®
RELEASE 2.4

☐ **Guest Search Results**

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "(workflow and matrix) <in> metadata"
Your search matched **10** of **1666250** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

✉ e-mail   🖨 printer friendly

Login

Username

Password   ⟫

» Forgot your password?

Please remember to log out
when you have finished your
session.

_____

» Key

🔳   Indicates full text access

IEEE JNL   IEEE Journal or Magazine

IET JNL   IET Journal or Magazine

IEEE CNF   IEEE Conference Proceeding

IET CNF   IET Conference Proceeding

IEEE STD   IEEE Standard

Article Information

1. **Design of an Automatic Workflow Modeling Method in Cooperative WFMS**
   Yan Li; Yuqiang Feng;
   Computer Supported Cooperative Work in Design, 10th International Conference on
   May 2006 Page(s):1 - 6
   Digital Object Identifier 10.1109/CSCWD.2006.253260

   Abstract | Full Text: PDF(5627 KB)   **IEEE CNF**
   Rights and Permissions

2. **A framework for dynamic routing and operational integrity controls in a workflow management system**
   Kumar, A.; Zhao, J.L.;
   System Sciences, 1996., Proceedings of the Twenty-Ninth Hawaii International Conference on ,
   Volume 3, 3-6 Jan. 1996 Page(s):492 - 501 vol.3
   Digital Object Identifier 10.1109/HICSS.1996.493245

   Abstract | Full Text: PDF(864 KB)   **IEEE CNF**
   Rights and Permissions

3. **A workflow editor and scheduler for composing applications on computational grids**
   Kadav, A.; Aggarwal, S.K.;
   Parallel and Distributed Systems, 2006. ICPADS 2006. 12th International Conference on
   Volume 2, 12-15 July 2006 Page(s):6 pp.
   Digital Object Identifier 10.1109/ICPADS.2006.30

   Abstract | Full Text: PDF(192 KB)   **IEEE CNF**
   Rights and Permissions

4. **Gridflow description, query, and execution at SCEC using the SDSC matrix**
   Weinberg, J.; Arun Jagatheesan; Ding, A.; Faerman, M.; Hu, Y.;
   High performance Distributed Computing, 2004. Proceedings. 13th IEEE International Symposium on
   4-6 June 2004 Page(s):262 - 263
   Digital Object Identifier 10.1109/HPDC.2004.1323557

   Abstract | Full Text: PDF(252 KB)   **IEEE CNF**
   Rights and Permissions

5. **A Workflow for Robot Assisted Neurosurgery**
   Da Liu; Tianmiao Wang;
   Intelligent Robots and Systems, 2006 IEEE/RSJ International Conference on
   Oct. 2006 Page(s):2870 - 2875
   Digital Object Identifier 10.1109/IROS.2006.282075

   Abstract | Full Text: PDF(5180 KB)   **IEEE CNF**
   Rights and Permissions

6. **Dynamic access control through Petri net workflows**
   Knorr, K.;
   Computer Security Applications, 2000. ACSAC '00. 16th Annual Conference
   11-15 Dec. 2000 Page(s):159 - 167
   Digital Object Identifier 10.1109/ACSAC.2000.898869

   Abstract | Full Text: PDF(600 KB)   **IEEE CNF**
   Rights and Permissions

7. **Hierarchical Dependence Graphs for Dynamic JDF Workflows**
Sun, Tong; Walker, John;
Systems, Man and Cybernetics, 2006. ICSMC '06. IEEE International Conference on
Volume 4, 8-11 Oct. 2006 Page(s):2747 - 2752
Digital Object Identifier 10.1109/ICSMC.2006.385289

Abstract | Full Text: PDF(2178 KB)   IEEE CNF
Rights and Permissions

8. **Process Mining, Discovery, and Integration using Distance Measures**
Joonsoo Bae; Ling Liu; Caverlee, J.; Rouse, W.B.;
Web Services, 2006. ICWS '06. International Conference on
Sept. 2006 Page(s):479 - 488
Digital Object Identifier 10.1109/ICWS.2006.105

Abstract | Full Text: PDF(288 KB)   IEEE CNF
Rights and Permissions

9. **Physical Performance and Clinical Workflow of a new LSO HI-REZ PET/CT Scanner**
Jakoby, B.W.; Bercier, Y.; Watson, C.C.; Rappoport, V.; Young, J.; Bendriem, B.; Townsend, D.W.;
Nuclear Science Symposium Conference Record, 2006. IEEE
Volume 5, Oct. 29 2006-Nov. 1 2006 Page(s):3130 - 3134
Digital Object Identifier 10.1109/NSSMIC.2006.356538

Abstract | Full Text: PDF(560 KB)   IEEE CNF
Rights and Permissions

10. **A Comparison of two Decision Support Systems Designed for a Dispatching Problem**
Cutrona, C.S.; Pratsch, C.; Valcarengh, C.; Welter, A.; Buarque de Macedos Guimaraes, L.; Guerlain, S.;
Systems and Information Engineering Design Symposium, 2006 IEEE
April 2006 Page(s):146 - 151
Digital Object Identifier 10.1109/SIEDS.2006.278729

Abstract | Full Text: PDF(7403 KB)   IEEE CNF
Rights and Permissions

P☸RTAL

Subscribe (Full Service)   Register (Limited Service, Free)   Login

Search: ⦿ The ACM Digital Library   ○ The Guide

workflow and matrix   SEARCH

THE ACM DIGITAL LIBRARY

☖ Feedback Report a problem Satisfaction survey

Terms used: **workflow** and **matrix**   Found **22,998** of **211,032**

Sort results by	relevance ▼	◈ Save results to a Binder
Display results	expanded form ▼	② Search Tips
		☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ▱ ▬ ▮ ■

1 Merging application-centric and data-centric approaches to support transaction-oriented multi-system workflows   ■

Y. Breitbart, A. Deacon, H.-J. Schek, A. Sheth, G. Weikum
September 1993 **ACM SIGMOD Record**, Volume 22 Issue 3

Publisher: ACM Press

Full text available: ▤ pdf(683.44 KB)   Additional Information: full citation, abstract, citings, index terms

> Workflow management is primarily concerned with dependencies between the tasks of a workflow, to ensure correct control flow and data flow. Transaction management, on the other hand, is concerned with preserving data dependencies by preventing execution of conflicting operations from multiple, concurrently executing tasks or transactions. In this paper we argue that many applications will be served better if the properties of transaction and workflow models are supported by an integrated ar ...

2 Research sessions: potpourri: Workflow management with service quality guarantees ■

Michael Gillmann, Gerhard Weikum, Wolfgang Wonner
June 2002 **Proceedings of the 2002 ACM SIGMOD international conference on Management of data SIGMOD '02**

Publisher: ACM Press

Full text available: ▤ pdf(1.29 MB)   Additional Information: full citation, abstract, references, citings, index terms

> Workflow management systems (WFMS) that are geared for the orchestration of business processes across multiple organizations are complex distributed systems: they consist of multiple workflow engines, application servers, and communication middleware servers such as ORBs, where each of these server types can be replicated on multiple computers for scalability and availability.Finding an appropriate system configuration with guaranteed application-specific quality of service in terms of throughpu ...

3 The matrix and beyond: expanding proactive resources for customers   ■

Mo Nishiyama, Leslie J. McNeil, Holly E. Wyatt
November 2006 **Proceedings of the 34th annual ACM SIGUCCS conference on User services SIGUCCS '06**

Publisher: ACM Press

Full text available: ▤ pdf(152.76 KB)   Additional Information: full citation, abstract, index terms

> At Oregon Health & Science University (OHSU), essential duties of the Information Technology Group (ITG) include providing support for a diverse customer base. Faculty, staff, students, volunteers, visiting scholars, interns, vendors, and community healthcare partners all rely on ITG's Customer Relations Management Division (CRMD) for resolving their computing and account access issues. In a dynamic support environment where many of the customer roles falls outside the one-size-fits-all support ...

Keywords: communication, customer service, electronic documentation, knowledge management, portals, role-based matrix, workflow improvement

4 A semi-automatic system with an iterative learning method for discovering the leading ■ indicators in business processes

Wei Peng, Tong Sun, Philip Rose, Tao Li

August 2007 **Proceedings of the 2007 international workshop on Domain driven data mining DDDM '07**

Publisher: ACM Press

Full text available: pdf(539.96 KB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>

Within Business Intelligence (BI) systems, a Key Performance Indicator (**KPI**) is a measurement of how well the organization, or a specific individual or process within that organization, performs an operational, tactical, or strategic activity that is critical for the current and future success of that organization [1]. The **leading indicators** are one type of KPIs that present key drivers of business value, are predictors of future outcomes, and offer the organization the unique o ...

5 An approach to workflow modeling and analysis   ■

Hemant Kr. Meena, Indradeep Saha, Koushik Kr. Mondal, T. V. Prabhakar

October 2005 **Proceedings of the 2005 OOPSLA workshop on Eclipse technology eXchange eclipse '05**

Publisher: ACM Press

Full text available: pdf(441.98 KB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>index terms</u>

In this paper we present a new approach to workflow analysis. We model the workflow using Activity diagrams, convert the Activity diagrams to Petri nets and use the theoretical results in the Petri nets domain to analyze the equivalent Petri nets and infer properties of the original workflow. We have demonstrated the possibility by developing an Eclipse plug-in, which can be used to model workflows using Activity Diagrams and then analyze these workflow models using Petri nets.

Keywords: Eclipse, Petri nets, activity diagrams, workflow, workflow analysis

6 Dynamic change within workflow systems   ■

Clarence Ellis, Karim Keddara, Grzegorz Rozenberg

August 1995 **Proceedings of conference on Organizational computing systems COCS '95**

Publisher: ACM Press

Full text available: pdf(1.01 MB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index terms</u>

Dynamic change is a large and pervasive unsolved problem which surfaces within office systems as well as within software engineering, manufacturing, and numerous other domains. Procedural changes, performed in an ad hoc manner, can cause inefficiencies, inconsistencies, and catastrophic breakdowns within offices. This paper is concerned with dynamic change to procedures in the context of workflow systems. How can we make workflow systems more flexible and open? We believe that part of the a ...

7 WIDE workflow development methodology   ■

L. Baresi, F. Casati, S. Castano, M. G. Fugini, I. Mirbel, B. Pernici

March 1999 **ACM SIGSOFT Software Engineering Notes , Proceedings of the international joint conference on Work activities coordination and collaboration WACC '99**, Volume 24 Issue 2

Publisher: ACM Press

Full text available: pdf(1.34 MB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index terms</u>

The development of workflows (WFs) for complex organizations to be interfaced with existing information systems requires a specific methodological approach to guarantee benefits and effectiveness of the final results. In fact, the WF should be well integrated in the organization both from the technical and the organizational point of view. While the characteristics of the Workflow Management System (WFMS) platform adopted in the implementation are relevant to establish the boundary between the w ...

Keywords: exceptions, patterns, triggers, workflow design

8 Technical papers: Evaluation of a workflow scheduler using integrated performance modelling and batch queue wait time prediction
Daniel Nurmi, Anirban Mandal, John Brevik, Chuck Koelbel, Rich Wolski, Ken Kennedy
November 2006 **Proceedings of the 2006 ACM/IEEE conference on Supercomputing SC '06**
Publisher: ACM Press
Full text available: pdf(313.07 KB)
html(2.21 KB)   Additional Information: full citation, abstract, references, index terms

Large-scale distributed systems offer computational power at unprecedented levels. In the past, HPC users typically had access to relatively few individual supercomputers and, in general, would assign a one-to-one mapping of applications to machines. Modern HPC users have simultaneous access to a large number of individual machines and are beginning to make use of all of them for single-application execution cycles. One method that application developers have devised in order to take advantage o ...

9 Heuristics-based scheduling of composite web service workloads
Thomas Phan, Wen-Syan Li
November 2006 **Proceedings of the 1st workshop on Middleware for Service Oriented Computing (MW4SOC 2006) MW4SOC '06**
Publisher: ACM Press
Full text available: pdf(114.39 KB)   Additional Information: full citation, abstract, references, index terms

Web services can be aggregated to create composite workflows that provide streamlined functionality for human users or other systems. Although industry standards and recent research have sought to define best practices and to improve end-to-end workflow composition, one area that has not fully been explored is the scheduling of a workflow's web service requests to actual service provisioning in a multi-tiered, multi-organisation environment. This issue is relevant to modern business scenarios wh ...

Keywords: QoS, heuristics, scheduling, web services, workflows

10 4th international workshop on middleware for grid computing (MGC'06): A novel approach to allocating QoS-constrained workflow-based jobs in a multi-cluster grid
Yash Patel, John Darlington
November 2006 **Proceedings of the 4th international workshop on Middleware for grid computing MCG '06**
Publisher: ACM Press
Full text available: pdf(164.01 KB)   Additional Information: full citation, abstract, references, index terms

Clusters are increasingly interconnected to form multi-cluster systems, which are becoming popular for scientific computation. Grid users often submit their applications in the form of workflows with certain Quality of Service (QoS) requirements imposed on the workflows. These workflows detail the composition of Grid services and the level of service required from the Grid. This paper addresses workload allocation techniques for Grid workflows. We model a resource within a cluster as a *G/G/*

11 Document recognition and classification: Meta-algorithmic systems for document classification
Steven J. Simske, David W. Wright, Margaret Sturgill

October 2006 **Proceedings of the 2006 ACM symposium on Document engineering DocEng '06**
Publisher: ACM Press
Full text available: pdf(289.80 KB)   Additional Information: full citation, abstract, references, index terms

To address cost and regulatory concerns, many businesses are converting paper-based elements of their workflows into fully electronic flows that use the content of the documents. Scanning the document contents into workflows, however, is a manual, error-prone, and costly process especially when the data extraction process requires high accuracy. These manual costs are a primary barrier to widespread adoption of distributed capture solutions for business critical workflows such as insurance claim ...

Keywords: confusion matrix, document classification, document indexing, engine combination, meta-algorithmics

12 Process and workflow: Argos: dynamic composition of web services for goods movement analysis and planning
José LuisAmbite, Genevieve Giuliano, Peter Gordon, Mountu Jinwala, Dipsy Kapoor, LanLan Wang, Qisheng Pan
May 2006 **Proceedings of the 2006 international conference on Digital government research dg.o '06**
Publisher: ACM Press
Full text available: pdf(227.96 KB)   Additional Information: full citation, abstract, references, index terms

This Project Highlight describes Year 3 activities of our Argos research. The purpose of the research is to develop a flexible data query and analysis system based on the web services paradigm. Our application domain is metropolitan goods movement. The project began in August 2003. We seek to blend computer science and social science approaches by developing new data integration tools and applying them to social science research problems. The research has three objectives: 1) to advance computer ...

13 Atomicity and isolation for transactional processes
Heiko Schuldt, Gustavo Alonso, Catriel Beeri, Hans-Jörg Schek
March 2002 **ACM Transactions on Database Systems (TODS)**, Volume 27 Issue 1
Publisher: ACM Press
Full text available: pdf(1.22 MB)   Additional Information: full citation, abstract, references, citings, index terms

Processes are increasingly being used to make complex application logic explicit. Programming using processes has significant advantages but it poses a difficult problem from the system point of view in that the interactions between processes cannot be controlled using conventional techniques. In terms of recovery, the steps of a process are different from operations within a transaction. Each one has its own termination semantics and there are dependencies among the different steps. Regarding c ...

Keywords: Advanced transaction models, business process management, electronic commerce, execution guarantees, locking, rocesses, semantically rich transactions, transactional workflows, unified theory of concurrency control and recovery

14 Gridflow Description, Query, and Execution at SCEC using the SDSC Matrix
Jonathan Weinberg, Arun Jagatheesan, Allen Ding, Marcio Faerman, Yuanfang Hu
June 2004 **Proceedings of the 13th IEEE International Symposium on High Performance Distributed Computing HPDC '04**
Publisher: IEEE Computer Society
Full text available: Publisher Site   Additional Information: full citation, abstract

While conventional workflow systems have been around for many years, the deployment of analogous systems onto a grid infrastructure introduces a number of unique questions and challenges. Innovative approaches to grid workflow (gridflow) are needed to leverage

the heterogeneity, autonomy, dynamic behavior, and wide-area distribution that characterize grid resources. The Matrix Project carries out research and development to deliver the language descriptions and protocols necessary to build colla ...

15 Information technology and physical space

Henry C. Lucas
November 2001 **Communications of the ACM**, Volume 44 Issue 11
Publisher: ACM Press
Full text available: pdf(122.14 KB)
html(42.79 KB)   Additional Information: full citation, references, index terms

16 On theories, methods and techniques: Designing complex socio-technical systems: a heuristic schema based on cultural-historical psychology

Antonio Rizzo, Simone Pozzi, Luca Save, Mark Sujan
September 2005 **Proceedings of the 2005 annual conference on European association of cognitive ergonomics EACE '05**
Publisher: University of Athens
Full text available: pdf(429.54 KB)   Additional Information: full citation, abstract, references

This paper presents a practical description of an analysis and design methodology for complex socio-technical systems. The basis of the approach is a re-elaboration of the unit of analysis originally proposed by Vygotsky. The method focuses on man-artefact interactions in order to inform the design of new artefacts and patterns of interactions. Depending on the required level of design intervention and on the level of structure of the domain the focus is directed either towards the analysis and ...

Keywords: Unit of analysis, activity theory, cultural-historical psychology, interaction design, socio-technical systems

17 A simulation-based production testbed

Albert Jones, Michael Iuliano
December 1997 **Proceedings of the 29th conference on Winter simulation WSC '97**
Publisher: ACM Press, IEEE Computer Society
Full text available: pdf(1.09 MB)   Additional Information: full citation, references, index terms

18 Information access and retrieval (IAR): Email classification for automated service handling

Ross Tailby, Richard Dean, Ben Milner, Dan Smith
April 2006 **Proceedings of the 2006 ACM symposium on Applied computing SAC '06**
Publisher: ACM Press
Full text available: pdf(422.21 KB)   Additional Information: full citation, abstract, references, index terms

We describe the experience and lessons learned from developing a range of electronic services for a specialist engineering company. We are using a custom workflow management system as the base for a range of services which are offered via a multi-modal portal, using a language-based approach to extracting information from HTML forms, email, and SMS. We describe the email classification experiments we have carried out and discuss the development of customer services based on automatic email class ...

Keywords: Naïve Bayes, T-Route, T-Trans, email, vector methods

19 A situated computing framework for mobile and ubiquitous multimedia access using small screen and composite devices

Thai-Lai Pham, Georg Schneider, Stuart Goose
October 2000 **Proceedings of the eighth ACM international conference on Multimedia MULTIMEDIA '00**
Publisher: ACM Press

Full text available: pdf(952.99 KB)   Additional Information: full citation, abstract, references, citings, index terms

In recent years, small screen devices, such as cellular phones or Personal Digital Assistants (PDAs), enjoy phenomenal popularity. PDAs can be used to complement traditional computing systems to access personal multimedia information beyond the usage as digital organizers. However, due to the physical limitations accessing rich multimedia contents and diverse services using a single PDA is more difficult. Hence, the Situated Computing Framework (SCF) research project at Siemens Corporate Rese ...

Keywords: WWW, composite devices, mobile and ubiquitous computing, situated computing

20 Digital libraries and cyberinfastructure track: creating information representations for the humanities (part 2): The challenges in developing digital collections of phonograph records
Catherine Lai, Ichiro Fujinaga, Cynthia A. Leive
June 2005 **Proceedings of the 5th ACM/IEEE-CS joint conference on Digital libraries JCDL '05**
Publisher: ACM Press

Full text available: pdf(153.95 KB)   Additional Information: full citation, abstract, references, index terms

To facilitate long-term preservation and sustain the utility of phonograph records, an efficient and economical workflow management system for digitization is necessary. We describe in this paper the digitization process for building an online digital collection of phonograph records and our procedure for creating the ground-truth data, which is essential for developing an efficient metadata and content capturing system. We also discuss the challenges of defining metadata for phonograph records ...

Keywords: analog sound recordings, digital library collections, digitization, metadata, music information acquisition and retrieval, phonograph records, preservation, use and access

Results 1 - 20 of 200   Result page: **1**   2   3   4   5   6   7   8   9   10   next

PORTAL
USPTO

Search: ⦿ The ACM Digital Library   ○ The Guide

workflow and virtual and task   [SEARCH]

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used: **workflow** and **virtual** and **task**   Found **26,048** of **211,032**

Sort results by   [relevance ▼]   ◆ Save results to a Binder   Try an Advanced Search
                                            [?] Search Tips   Try this search in The ACM Guide
Display results   [expanded form ▼]   ☐ Open results in a new
                                              window

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ▭ ▬ ■ ■

1 A Contextual Based Semantic Modeling Approach to Task-Service Formation in
       Virtual Organization
       William Song, Mingquan Zhou
       December 2006 **Proceedings of the 2006 IEEE/WIC/ACM International Conference on
                      Web Intelligence WI '06**
       Publisher: IEEE Computer Society
       Full text available: 📄 pdf(207.05 KB)   Additional Information: full citation, abstract, index terms

       Virtual organizations are considered to be an independent mechanism, which manages to
       bridge the users' goals and requirements to the grid/web resources and services. To form
       the workflow for a virtual organization we need to find a sequence of interrelated services
       (the grid/web resources) matched to given users' requirements. It is crucial to find a
       semantic description for virtual organizations in order to analyze various components,
       such as tasks, services, and resources, and hence to make v ...

2 Virtual transaction model to support workflow applications
       Vasudev Krishnamoorthy, Ming-Chien Shan
       March 2000 **Proceedings of the 2000 ACM symposium on Applied computing - Volume
                   2 SAC '00**
       Publisher: ACM Press
       Full text available: 📄 pdf(459.17 KB)   Additional Information: full citation, references, index terms

       Keywords: compensation, isolation, transactions, workflow

3 Supporting virtual organisation alliances with relative workflows
       Xiaohui Zhao, Chengfei Liu, Yun Yang
       January 2006 **Proceedings of the 3rd Asia-Pacific conference on Conceptual modelling
                     - Volume 53 APCCM '06**
       Publisher: Australian Computer Society, Inc.
       Full text available: 📄 pdf(343.40 KB)   Additional Information: full citation, abstract, references, index terms

       Driven by the fast changing service demand-and-supply requirements, virtual
       organisation alliances are created to adapt highly dynamic B2B collaborations. However,
       the temporary partnership and low trustiness between collaborating organisations raise
       challenges to effectively manage collaborative business processes. This paper presents an
       approach on the basis of a service oriented relative workflow model to support virtual
       organisation alliances. This approach takes an organisation centred desi ...

       Keywords: business process modelling, service oriented computing, virtual organisation
       alliance

4 Access control mechanisms for inter-organizational workflow

Myong H. Kang, Joon S. Park, Judith N. Froscher

May 2001 **Proceedings of the sixth ACM symposium on Access control models and technologies SACMAT '01**

Publisher: ACM Press

Full text available: 📄 pdf(253.16 KB)   Additional Information: full citation, abstract, references, citings, index terms

As more businesses engage in globalization, inter-organizational collaborative computing grows in importance. Since we cannot expect homogeneous computing environments in participating organizations, heterogeneity and Internet-based technology are prevalent in inter-organizational collaborative computing environments. One technology that provides solutions for data sharing and work coordination at the global level is inter-organizational workflow. In this paper, we investigate the access co ...

Keywords: access control, enterprise, organizational security, security, workflow

5 2-2 VRC in engineering: A multimedia workflow-based collaborative engineering environment for oil & gas industry

Ismael H. F. Santos, Martin Göbel, Alberto B. Raposo, Marcelo Gattass

June 2004 **Proceedings of the 2004 ACM SIGGRAPH international conference on Virtual Reality continuum and its applications in industry VRCAI '04**

Publisher: ACM Press

Full text available: 📄 pdf(293.97 KB)   Additional Information: full citation, abstract, references, index terms

In this paper we discuss the scenario of Petroleum Engineering projects of Petrobras, a large Brazilian governmental oil & gas company. Based on this scenario, we propose a set of application requirements and system architecture to guide the construction of a Collaborative Engineering Environment (*CEE*) for assisting the control and execution of large and complex industrial projects in oil and gas industry. The environment is composed by the integration of three different technologies of d ...

Keywords: collaborative engineering, collaborative virtual environments, workflow systems

6 Supporting units of work in a virtual organization

Bill Chu

April 1995 **ACM SIGOIS Bulletin**, Volume 15 Issue 3

Publisher: ACM Press

Full text available: 📄 pdf(425.98 KB)   Additional Information: full citation, citings, index terms

7 Distributed systems and grid computing (DSGC): The Pegasus portal: web based grid computing

Gurmeet Singh, Ewa Deelman, Gaurang Mehta, Karan Vahi, Mei-Hui Su, G. Bruce Berriman, John Good, Joseph C. Jacob, Daniel S. Katz, Albert Lazzarini, Kent Blackburn, Scott Koranda

March 2005 **Proceedings of the 2005 ACM symposium on Applied computing SAC '05**

Publisher: ACM Press

Full text available: 📄 pdf(314.64 KB)   Additional Information: full citation, abstract, references

Pegasus is a planning framework for mapping abstract workflows for execution on the Grid. This paper presents the implementation of a web-based portal for submitting workflows to the Grid using Pegasus. The portal also includes components for generating abstract workflows based on a metadata description of the desired data products and application-specific services. We describe our experiences in using this portal for two Grid

applications. A major contribution of our work is in introducing seve ...

Keywords: grid computing, portals, resource allocation, scheduling, web based computing, workflow management

8 A metamodel for virtual enterprises

I. T. Hawryszkiewycz

January 2001 **Australian Computer Science Communications , Proceedings of the workshop on Information technology for virtual enterprises ITVE '01 , Proceedings of the workshop on Information technology for virtual enterprises ITVE '01**, Volume 23 Issue 6

Publisher: IEEE Computer Society, IEEE Computer Society Press

Full text available: pdf(788.42 KB)

Additional Information: full citation, abstract, references

Publisher Site

Virtual enterprises are characterized by their dynamic nature and transient work arrangements. This in turn requires computer support systems that go beyond workflow systems to provide support for process emergence and transient team members in such enterprises. Such support systems must be based on a metamodel that is sufficiently powerful to describe virtual work arrangements and present an interface that allows users to quickly form teams, allocate responsibilities, and carry out joint work. ...

9 Team-and-role-based organizational context and access control for cooperative hypermedia environments

Weigang Wang

February 1999 **Proceedings of the tenth ACM Conference on Hypertext and hypermedia : returning to our diverse roots: returning to our diverse roots HYPERTEXT '99**

Publisher: ACM Press

Full text available: pdf(2.13 MB)

Additional Information: full citation, references, citings, index terms

Keywords: cooperative hypermedia, coordination, groupware, process support, role-based access control, workflow

10 Functional and architectural adaptation in pervasive computing environments

N. C. Narendra, Umesh Bellur, S. K. Nandy, K. Kalapriya

November 2005 **Proceedings of the 3rd international workshop on Middleware for pervasive and ad-hoc computing MPAC '05**

Publisher: ACM Press

Full text available: pdf(344.91 KB)

Additional Information: full citation, abstract, references, index terms

Service-oriented computing paradigm encourages the use of dynamic binding of application requirements to the resources needed to fulfill application tasks. Especially in pervasive computing that is characterized by disconnected operation and mobility, the process of using service specifications and dynamic binding becomes critical. For this, adaptation techniques that provide for seamless service composition are needed for user task execution. In this paper we present our approach to enable two ...

Keywords: pervasive computing, service-oriented architectures, workflow adaptation

11 Technical papers: Evaluation of a workflow scheduler using integrated performance modelling and batch queue wait time prediction

Daniel Nurmi, Anirban Mandal, John Brevik, Chuck Koelbel, Rich Wolski, Ken Kennedy

November 2006 **Proceedings of the 2006 ACM/IEEE conference on Supercomputing SC '06**

Publisher: ACM Press
Full text available: pdf(313.07 KB)
    html(2.21 KB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>index terms</u>

Large-scale distributed systems offer computational power at unprecedented levels. In the past, HPC users typically had access to relatively few individual supercomputers and, in general, would assign a one-to-one mapping of applications to machines. Modern HPC users have simultaneous access to a large number of individual machines and are beginning to make use of all of them for single-application execution cycles. One method that application developers have devised in order to take advantage o ...

12 <u>Grid middleware services for virtual data discovery, composition, and integration</u>

Yong Zhao, Michael Wilde, Ian Foster, Jens Voeckler, Thomas Jordan, Elizabeth Quigg, James Dobson

October 2004 **Proceedings of the 2nd workshop on Middleware for grid computing MGC '04**

Publisher: ACM Press

Full text available: pdf(289.58 KB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index terms</u>

We describe the services, architecture and application of the GriPhyN Virtual Data System, a suite of components and services that allow users to describe virtual data products in declarative terms, discover definitions and assemble workflows based on those definitions, and execute the resulting workflows on Grid resources. We show how these middleware-level services have been applied by specific communities to manage scientific data and workflows. In particular, we highlight and introduce &# ...

Keywords: data discovery, data grid, data integration, portal, provenance, virtual data, workflow

13 <u>Integrating synchronous multimedia collaboration into workflow management</u>

Michael Weber, Gerhard Partsch, Siegfried Höck, Georg Schneider, Astrid Scheller-Houy, Jean Schweitzer

November 1997 **Proceedings of the international ACM SIGGROUP conference on Supporting group work: the integration challenge GROUP '97**

Publisher: ACM Press

Full text available: pdf(1.20 MB)   Additional Information: <u>full citation</u>, <u>references</u>, <u>citings</u>, <u>index terms</u>

Keywords: brokerage, conference assistant, teleconfercing, trading, workflow management

14 <u>Flexible coordination with cooperative hypertext</u>

Weigang Wang, Jörg M. Haake

May 1998 **Proceedings of the ninth ACM conference on Hypertext and hypermedia : links, objects, time and space---structure in hypermedia systems: links, objects, time and space---structure in hypermedia systems HYPERTEXT '98**

Publisher: ACM Press

Full text available: pdf(1.69 MB)   Additional Information: <u>full citation</u>, <u>references</u>, <u>citings</u>, <u>index terms</u>

15 <u>Bioinformatics (BIO): A complex biological database querying method</u>

Jake Yue Chen, John V. Carlis, Ning Gao

March 2005 **Proceedings of the 2005 ACM symposium on Applied computing SAC '05**

Publisher: ACM Press

Full text available: pdf(226.08 KB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>

Many biological information systems rely on relational database management systems (RDBMS) to manage high-throughput biological data. While keeping these data well archived, organized, and integrated in a common repository is still a challenging task, performing complex queries, i.e., explorative and abstract *ad hoc* user questions in biology, is an even formidable task often substituted by writing complicated software programs. In this work, we propose a "complex query modeling" method to ...

Keywords: complex queries, database management system (DBMS), query modeling

16 Next generation games: Wireless sensor network based mobile pet game

Liang Liu, Huadong Ma

October 2006 **Proceedings of 5th ACM SIGCOMM workshop on Network and system support for games NetGames '06**

Publisher: ACM Press

Full text available: pdf(710.24 KB)   Additional Information: full citation, abstract, references, index terms

Wireless sensor network offers an opportunity to introduce different kinds of physical data into mobile pet games, which enriches recreational elements and practical elements in mobile pet games. Motivated by this, we propose a novel architecture for integrating sensor networks into mobile pet game. In particular, we utilize an environment aware self-reconfiguration mechanism to build a mobile pet gaming platform. This mechanism can effectively support task reconfiguration on each sensor node ...

Keywords: gaming platform, mobile pet game, reconfiguration, wireless sensor networks

17 Grid-Based Galaxy Morphology Analysis for the National Virtual Observatory

Ewa Deelman, Raymond Plante, Carl Kesselman, Gurmeet Singh, Mei-Hui Su, Gretchen Greene, Robert Hanisch, Niall Gaffney, Antonio Volpicelli, James Annis, Vijay Sekhri, Tamas Budavari, Maria Nieto-Santisteban, William O'Mullane, David Bohlender, Tom McGlynn, Arnold Rots, Olga Pevunova

November 2003 **Proceedings of the 2003 ACM/IEEE conference on Supercomputing SC '03**

Publisher: IEEE Computer Society

Full text available: pdf(357.64 KB)   Additional Information: full citation, abstract, citings

As part of the development of the National Virtual Observatory (NVO), a Data Grid for astronomy, we have developed a prototype science application to explore the dynamical history of galaxy clusters by analyzing the galaxies' morphologies. The purpose of the prototype is to investigate how Grid-based technologies can be used to provide specialized computational services within the NVO environment. In this paper we focus on the key enabling technology components, particularly Chimera and Pegasus ...

18 A gaze contingent environment for fostering social attention in autistic children

Rameshsharma Ramloll, Cheryl Trepagnier, Marc Sebrechts, Andreas Finkelmeyer

March 2004 **Proceedings of the 2004 symposium on Eye tracking research & applications ETRA '04**

Publisher: ACM Press

Full text available: pdf(334.06 KB)   Additional Information: full citation, appendices and supplements, abstract, references, cited by, index terms

This paper documents the engineering of a gaze contingent therapeutic environment for the exploration and validation of a proposed rehabilitative technique addressing attention deficits in 24 to 54 months old autistic subjects. It discusses the current state of progress and lessons learnt so far while highlighting the outstanding engineering challenges of this project. We focus on calibration issues for this target group of users, explain the architecture of the system and present our general wo ...

Keywords: attention, autism, design workflow, eye tracker calibration, gaze contingent

environment

19 Physical spaces, virtual places and social worlds: a study of work in the virtual

Geraldine Fitzpatrick, Simon Kaplan, Tim Mansfield

November 1996 **Proceedings of the 1996 ACM conference on Computer supported cooperative work CSCW '96**

Publisher: ACM Press

Full text available: pdf(1.33 MB)   Additional Information: full citation, references, citings, index terms

Keywords: CSCW, ethnography, grounded theory, social worlds, spatial metaphors, systems administration

20 Virtual enterprise co-ordinator—agreement-driven gateways for cross-organisational workflow management

Heiko Ludwig, Keith Whittingham

March 1999 **ACM SIGSOFT Software Engineering Notes , Proceedings of the international joint conference on Work activities coordination and collaboration WACC '99**, Volume 24 Issue 2

Publisher: ACM Press

Full text available: pdf(1.07 MB)   Additional Information: full citation, abstract, references, citings, index terms

Today's Workflow Management Systems (WfMS) do not distinguish between an external view of a process that is visible outside the organisation and its internal details. Their interfaces are generally aimed at the internal user. This is a problem if one organisation (provider) wants to perform a process on behalf of another (requester) so that it can be initiated and accessed by the requester through an automated interface and, vice versa, that the results can be reported back.This issue gains impo ...

Keywords: agreement, gateway, virtual enterprise, workflow management

Results 1 - 20 of 200   Result page: **1**   2   3   4   5   6   7   8   9   10   next

Google

| workflow and matrix and virtual | Search | Advanced Search
Preferences |

The "AND" operator is unnecessary -- we include all search terms by default [details] view and manage your web history

Web   Results **1 - 10** of about **1,810,000** for <u>workflow</u> and <u>matrix</u> and <u>virtual</u>. (0.35 seconds)

<u>Workflow & BPM Simplified</u>
www.integrify.com   Powerful, easy to use for **workflow** Try out your process today   Sponsored Link

<u>Virtual Univ- Research, CAIS</u>

Development models; Following models show different view points in developing
systems that can directly support **virtual** education. **Matrix** model ...
camis.kaist.ac.kr/**Virtual**Univ/research.html - 13k - <u>Cached</u> - <u>Similar pages</u>

<u>Apple - Pro - Insights and Ideas / Color - **Workflow**: What you need ...</u>

Getting started with **virtual** color proofing is easier than ever. ... active-**matrix**, flat-
panel displays and has since built the industry's most innovative, ...
www.apple.com/pro/color/**workflow**/ - 28k - <u>Cached</u> - <u>Similar pages</u>

<u>Apple (UK and Ireland) - Pro - Insights and Ideas / Colour ...</u>

Getting started with **virtual** colour proofing is easier than ever. ... the process to
just a few key components and automated many steps in the **workflow**. ...
www.apple.com/uk/pro/color/**workflow**/ - 33k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from www.apple.com</u>]

<u>Survey on Grid **Workflows** - Java CoG Kit</u>

Matrix, NA, DGL, CoG, data grid **workflow**, peer to peer infrastructure .... "The
anatomy of the grid: enabling scalable **virtual** organization," Int. J. ...
wiki.cogkit.org/index.php/Survey_on_Grid_**Workflows** - 35k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Organization of CMS benchmarks in VDS **Workflow** on **Virtual**
Machines</u>

elements of the vector, **matrix** and **matrix**. decomposition classes (**matrix** size
100x100). .... copy of **workflow** is running on the **virtual** machines. In ...
ieeexplore.ieee.org/iel5/4293746/4293747/04293858.pdf?
tp=&isnumber=4293747&arnumber=4293858 - <u>Similar pages</u>

<u>Arun swaran Jagatheesan - SDSC Home page</u>

Jagatheesan, A., Moore, R., Rajasekar, A. and Zhu, B., "**Virtual** Services in .... What
is the **Matrix**? Introduces Grid **Workflow** and SDSC **Matrix** Project at ...
users.sdsc.edu/~arun/ - 33k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>LEAD, **Workflows** and **Virtual** Grids</u>

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
—**virtual** grid interfaces and mechanisms. —multilevel **workflow** management ... Calculate
the rank **matrix**;. findBestSchedule(availComponents);. Endwhile ...
www.renci.org/projects/vgrads/DanApril05.pdf - <u>Similar pages</u>

<u>Emerald FullText Article : Quality management framework for a ...</u>

It is important to ensure that the **workflows** are performed in an orderly manner. ..... Figure
3 Prioritization **matrix** for **virtual** enterprise network ...
xtra.emeraldinsight.com/.../viewContentItem.do?
contentType=Article&hdAction=lnkhtml&contentId=842820 - <u>Similar pages</u>

<u>Merge eMed to Debut New **Workflow** Solutions at RSNA</u>

... **workflow** solution leveraging the power of FUSION RIS and FUSION **MATRIX** PACS ...
for expanding your imaging capabilities to include **virtual** colonoscopy. ...

www.prnewswire.com/cgi-bin/stories.pl?ACCT=104&STORY=/www/story/11-17-2005/0004218318&EDATE= - 22k - Cached - Similar pages

Macromedia:
Using Allaire Spectra, Market **Matrix** built powerful **workflows** that allowed ... TripHub.com uses Allaire Spectra's **workflow** services to create a **virtual** ...
www.allaire.com/handlers/index.cfm?ID=17331&Method=Full - 32k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

workflow and matrix and virtual   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google Checkout Learn more

Web   Images   Video   News   Maps   Gmail   more ▾

Google

| workflow and matrix and private | | Search | Advanced Search |
Preferences

The "AND" operator is unnecessary -- we include all search terms by default [details] New! View and manage your web history

Web   Results **1 - 10** of about **1,400,000** for <u>workflow</u> and <u>matrix</u> and <u>private</u>. (**0.22** seconds)

<u>Workflow & BPM Simplified</u>
www.integrify.com   Powerful, easy to use for **workflow** Try out your process today

<u>Workflow And</u> Web Forms
www.transparentlogic.com   Automate processes, rules **and** forms without programming. Download now.

[graphviz-interest] <u>Workflow</u> diagram - swim lane subgraphs, state ...
Title: Default **Workflow** [Plone] Pages: 1 --> <svg ... </g> <g class="node" id="node3" transform="**matrix**(1.33333,0,0,1.33333,43.925351,509.48828)"> <title ...
https://mailman.research.att.com/pipermail/graphviz-interest/2007q2/004316.html - 35k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Option <u>Matrix</u> InfoTech <u>Private</u> Limited 215/A/A, MLA Colony, Road ...
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Option **Matrix** InfoTech **Private** Limited. 215/A/A, MLA Colony, Road #12, ... the increasing role and use of IT in managing hospital processes and **workflows**. ...
optionm.net/pdf_1/ind_2.pdf - <u>Similar pages</u>

Aggregation of <u>private</u> and shared <u>workflows</u> - Patent 20040187089
On the second level, each of the **private workflows** is abstracted, ... 3) with one or more tasks within **matrix** N (analogous to **workflow** K 302 in FIG. 3). ...
www.freepatentsonline.com/20040187089.html - 190k - <u>Cached</u> - <u>Similar pages</u>

Transformations between <u>private</u> and shared <u>workflows</u> - Patent ...
2, company B 202 has a **private workflow** K 302 and a corresponding ...... 3) with one or more tasks within **matrix** N (analogous to **workflow** K 302 in FIG. 3). ...
www.freepatentsonline.com/20040078258.html - 200k - <u>Cached</u> - <u>Similar pages</u>

[DOC] Third EGEE Seminar Prague, 13.12.2005. Hands-on with the P-GRADE ...
File Format: Microsoft Word - <u>View as HTML</u>
Upload your **private** key file (userkey.pem) and certificate file (usercert.pem) ... 5.2 Define a **matrix** multiplication **workflow** using your locally available ...
egee.cesnet.cz/sources/P-GRADE_Portal_Hands-on-Sipos.doc - <u>Similar pages</u>

MySource <u>Matrix</u> - MySource_Matrix - Class: Workflow_Manager
MySource **Matrix** - MySource_Matrix. Workflow_Manager. MySource_Object | +-- Workflow_Manager .... **private** void _loadCurrentStep(array &$**workflow**) ...
nswos.opensource.nsw.gov.au/phpdoc/**Workflow**_Manager.html - 45k - <u>Cached</u> - <u>Similar pages</u>

MySource <u>Matrix</u> - MySource_Matrix_Packages @subpackage___core__ ...
private class Workflow_Schema_Edit_Fns extends Folder_Edit_Fns ... Processes the interface for creating a new **workflow** step. boolean ...
nswos.opensource.nsw.gov.au/phpdoc/**Workflow**_Schema_Edit_Fns.html - 19k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from nswos.opensource.nsw.gov.au</u>]

P-GRADE Portal tutorial
Transferring your certificate and **private** key files from the GILDA UI machine to the local ....
Figure 1: **Matrix workflow** to compute AB[*, 0]T * AB[*, 1] ...
urza.lpds.sztaki.hu/~sipos/porto/index.htm - 13k - Cached - Similar pages

MySource **Matrix** Open Source CMS - What is MySource **Matrix**
MySource **Matrix** is also very popular in the **private** and education sectors with ...
information architecture, access rights, metadata schema and **workflow**. ...
matrix.squiz.net/evaluations/what-is-**matrix** - 20k - Cached - Similar pages

Arun swaran Jagatheesan - SDSC Home page
SDSC **Matrix** Project: SDSC **Matrix** is a Grid **Workflow** process management system. ....
What is the **Matrix**? Introduces Grid **Workflow** and SDSC **Matrix** Project at ...
users.sdsc.edu/~arun/ - 33k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

| workflow and matrix and private | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Sign in

Google

| workflow and matrix and confidential | Search | Advanced Search
Preferences |

The "AND" operator is unnecessary -- we include all search terms by default [details] New! view and manage your web history

Web   Results **1 - 10** of about **185,000** for **workflow** and **matrix** and **confidential**. (**0.25** seconds)

Workflow & BPM Simplified
www.integrify.com   Powerful, easy to use for **workflow** Try out your process today
Sponsored Link

Malaysia | **Matrix** Binary - fax server, fax automation, **workflow** ...
... firewall, transparent bridge, security solution, **workflow** tools. ... virus and phishing
attacks it also preventing **confidential** information leaks and ...
www.**matrix**binary.com/solutions/sonicwall.asp - 12k - Cached - Similar pages

Matrix Logic Corporation
Matrix Logic is an authorized reseller of Perfectus solutions and provides ... and
reduce the risk of accidental distribution of **confidential** information. ...
www.**matrix**-logic.com/products/solutions.asp - 11k - Cached - Similar pages

[PDF] **Documentum RightSite – WDK Functionality Matrix**
File Format: PDF/Adobe Acrobat - View as HTML
RightSite – WDK Functionality **Matrix**. **Workflow** Task Progress .... **Workflow**
Template Subscriptions Locator ... Documentum **Confidential**. Page 20 of 20.
developer.emc.com/developer/downloads/RightSite_WDK_**Matrix**.pdf - Similar pages

[PDF] **Solutions Matrix Overview Presentation**
File Format: PDF/Adobe Acrobat
Proprietary and **Confidential** – Robert Causey. What is a Solutions **Matrix** ? ...
www.rcausey.com. Proprietary and **Confidential** – Robert Causey. **Workflow** ...
www.rcausey.com/cgi-bin/imageFolio.cgi?action=view&
link=Methodology&image=Solutions_**Matrix**_Overvi... - Similar pages

[PDF] **Microsoft PowerPoint - Cherrypicks_Oct28_v2.ppt**
File Format: PDF/Adobe Acrobat - View as HTML
Proprietary and **Confidential**. **Workflow** and Content **Matrix**. Video Content. Passive
Content .... Improved efficiency with centralized **workflow**, easy-to-use ...
www.hkwtia.org/wtia/Intelligent%20Content%20Management%20System.pdf -
Similar pages

[PDF] **Product Comparison Matrix**
File Format: PDF/Adobe Acrobat - View as HTML
Product Comparison **Matrix**. This document compares the functionality of the Oracle
Calendar web client, ... Resource scheduling integration with **Workflow** ...
email.calpoly.edu/calendar/documentation/docs/OracleCalendar_Clients_Comparison.pdf -
Similar pages

Hennepin County
Users may be sending **confidential** information via a collaborative system. 2. Classification
of content: When ... ETA Collaboration and **Workflow** Tools **Matrix** ...
www.co.hennepin.mn.us/.../?vgnextoid=10b0fab4f1afc010VgnVCM1000000f094689RCRD -
73k - Cached - Similar pages

[PDF] **HIPAA as Workflow**
File Format: PDF/Adobe Acrobat - View as HTML
HIPAA as **Workflow**. by Roy Rada. Page 20 of 26. March 2, 2001. role-based access
control adds hierarchies of. roles and information to access **matrix** ...
www.ehcca.com/presentations/HIPAA2/509.PDF - Similar pages

[PDF] **LiquidOffice v5.0 Features and Benefits Matrix**
File Format: PDF/Adobe Acrobat - View as HTML
CONFIDENTIAL – NOT FOR DISTRIBUTION. All rights reserved. ... Test execution mode
to test the **workflow ... workflows** with navigation panes. A rich ...
www.binaryoffice.com/LinkClick.aspx?link=Brochures%2Fliquidoffice%
2FLiquidOffice_Features_and_Benefits.pd... - Similar pages

Re: FpML-BP FW: Trade Notification **Workflow** Meeting - 8 September ...
Attached are the highlights from our Trade Notification **Workflow** Meeting last Friday, ...
confidential, legally privileged, and/or exempt from disclosure ...
www.fpml.org/_wgmail/_bpwgmail/msg00417.html - 15k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Try Google Desktop: search your computer as easily as you search the web.

workflow and matrix and confidential   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google Checkout   Learn more